



Provider Bulletin

June 2020

ICD-10-CM official coding and reporting guidelines April 1, 2020, through September 30, 2020

This communication applies to the Medicaid programs for Simply Healthcare Plans, Inc. (Simply) and Clear Health Alliance (CHA) as well as the Florida Healthy Kids (FHK) and the Medicare Advantage program for Simply.

The below information is being provided to ensure correct coding of COVID-19 related claims. These coding guidelines are from the Center for Disease Control and Prevention (CDC) and are available at: https://www.cdc.gov/nchs/data/icd/COVID-19-guidelines-final.pdf.

Certain Infectious and Parasitic Diseases (A00-B99): COVID-19 infections (infections due to SARS-CoV-2)

Code only confirmed cases

Code only a confirmed diagnosis of the 2019 novel coronavirus disease (COVID-19) as documented by the provider, documentation of a positive COVID-19 test result, or a presumptive positive COVID-19 test result. For a confirmed diagnosis, assign code U07.1, COVID-19. This is an exception to the hospital inpatient guideline Section II, H. In this context, *confirmation* does not require documentation of the type of test performed; the provider's documentation that the individual has COVID-19 is sufficient.

Presumptive positive COVID-19 test results should be coded as confirmed. A presumptive positive test result means an individual has tested positive for the virus at a local or state level, but it has not yet been confirmed by the CDC. CDC confirmation of local and state tests for COVID-19 is no longer required.

If the provider documents *suspected*, *possible*, *probable*, or *inconclusive* COVID- 19, do not assign code U07.1. Assign a code(s) explaining the reason for encounter (such as fever) or Z20.828, contact with and (suspected) exposure to other viral communicable diseases.

Sequencing of codes

When COVID-19 meets the definition of principal diagnosis, code U07.1, COVID-19, should be sequenced first, followed by the appropriate codes for associated manifestations, except in the case of obstetrics patients as indicated in Section. I.C.15.s. for COVID-19 in pregnancy, childbirth, and the puerperium.

Acute respiratory illness due to COVID-19

https://provider.simplyhealthcareplans.com/florida-provider https://provider.clearhealthalliance.com/florida-provider

Simply Healthcare Plans, Inc. is a Managed Care Plan with a Florida Medicaid contract. Simply Healthcare Plans, Inc. dba Clear Health Alliance is a Managed Care Plan with a Florida Medicaid contract.

Simply Healthcare Plans, Inc. is a Medicare contracted coordinated care plan that has a Medicaid contract with the State of Florida Agency for Health Care Administration to provide benefits or arrange for benefits to be provided to enrollees. Enrollment in Simply Healthcare Plans, Inc. depends on contract renewal.

Simply Healthcare Plans, Inc. is a Managed Care Plan with a Florida Healthy Kids contract.

SFLPEC-2092-20 June 2020 511063FLPENSHP

Simply Healthcare Plans, Inc. Clear Health Alliance ICD-10-CM official coding and reporting guidelines April 1, 2020, through September 30, 2020 Page 2 of 3

Pneumonia

For a pneumonia case confirmed as due to the 2019 novel coronavirus (COVID-19), assign codes U07.1, COVID-19, and J12.89, other viral pneumonia.

Acute bronchitis

For a patient with acute bronchitis confirmed as due to COVID-19, assign codes U07.1, and J20.8, Acute bronchitis due to other specified organisms.

Bronchitis not otherwise specified (NOS) due to COVID-19 should be coded using code U07.1 and J40, Bronchitis, not specified as acute or chronic.

Lower respiratory infection

If the COVID-19 is documented as being associated with a lower respiratory infection, not otherwise specified (NOS), or an acute respiratory infection, NOS, codes U07.1 and J22, Unspecified acute lower respiratory infection, should be assigned.

If the COVID-19 is documented as being associated with a respiratory infection, NOS, codes U07.1 and J98.8, Other specified respiratory disorders, should be assigned.

Acute respiratory distress syndrome

For acute respiratory distress syndrome (ARDS) due to COVID-19, assign codes U07.1, and J80, Acute respiratory distress syndrome.

Exposure to COVID-19

For cases where there is a concern about a possible exposure to COVID-19, but this is ruled out after evaluation, assign code Z03.818, Encounter for observation for suspected exposure to other biological agents ruled out.

For cases where there is an actual exposure to someone who is confirmed or suspected (not ruled out) to have COVID-19, and the exposed individual either tests negative or the test results are unknown, assign code Z20.828, Contact with and (suspected) exposure to other viral communicable diseases. If the exposed individual tests positive for the COVID-19 virus, see guideline a).

Screening for COVID-19

For asymptomatic individuals who are being screened for COVID-19 and have no known exposure to the virus, and the test results are either unknown or negative, assign code Z11.59, Encounter for screening for other viral diseases. For individuals who are being screened due to a possible or actual exposure to COVID-19, see below.

If an asymptomatic individual is screened for COVID-19 and tests positive, see below.

Signs and symptoms without definitive diagnosis of COVID-19

Simply Healthcare Plans, Inc. Clear Health Alliance ICD-10-CM official coding and reporting guidelines April 1, 2020, through September 30, 2020 Page 3 of 3

For patients presenting with any signs/symptoms associated with COVID-19 (such as fever, etc.) but a definitive diagnosis has not been established, assign the appropriate code(s) for each of the presenting signs and symptoms such as:

- R05 cough
- R06.02 shortness of breath
- R50.9 —fever, unspecified

If a patient with signs/symptoms associated with COVID-19 also has an actual or suspected contact with or exposure to someone who has COVID-19, assign Z20.828, Contact with and (suspected) exposure to other viral communicable diseases, as an additional code. This is an exception to guideline I.C.21.c.1, Contact/Exposure.

Asymptomatic individuals who test positive for COVID-19

For asymptomatic individuals who test positive for COVID-19, assign code U07.1, COVID-19. Although the individual is asymptomatic, the individual has tested positive and is considered to have the COVID-19 infection.

Pregnancy, childbirth, and the puerperium (O00-O9A): COVID-19 infection in pregnancy, childbirth, and the puerperium

During pregnancy, childbirth or the puerperium, a patient admitted (or presenting for a health care encounter) because of COVID-19 should receive a principal diagnosis code of O98.5-, Other viral diseases complicating pregnancy, childbirth and the puerperium, followed by code U0s7.1, COVID-19, and the appropriate codes for associated manifestation(s). Codes from Chapter 15 always take sequencing priority.